



# A7600 Series\_TCPIP\_AT Command Manual\_V1.00

**LWG Module**

**Shanghai SIMCom Wireless Solutions Ltd.**  
Building A, SIM Technology Building, No.633, Jinzhong Road  
Changning District 200335  
Tel: 86-21-31575100/31575200  
support@simcom.com  
www.simcom.com

<b>Document Title:</b>	A7600 Series_TCPIP_AT Command Manual
<b>Version:</b>	1.00
<b>Date:</b>	2019-05-28
<b>Status:</b>	Release
<b>Document ID:</b>	A7600 Series_TCPIP_AT Command Manual_V1.00

### General Notes

SIMCom offers this information as a service to its customers, to support application and engineering efforts that use the products designed by SIMCom. The information provided is based upon requirements specifically provided to SIMCom by the customers. SIMCom has not undertaken any independent search for additional relevant information, including any information that may be in the customer's possession. Furthermore, system validation of this product designed by SIMCom within a larger electronic system remains the responsibility of the customer or the customer's system integrator. All specifications supplied herein are subject to change.

### Copyright

This document contains proprietary technical information which is the property of SIMCom Limited., copying of this document and giving it to others and the using or communication of the contents thereof, are forbidden without express authority. Offenders are liable to the payment of damages. All rights reserved in the event of grant of a patent or the registration of a utility model or design. All specification supplied herein are subject to change without notice at any time.

*Copyright © Shanghai SIMCom Wireless Solutions Ltd. 2019*

## Version History

Version	Date	Chapter	What is new
V1.00	2019-05-28		New version

# Content

<b>Version History</b>	<b>2</b>
<b>Content</b>	<b>3</b>
<b>1 Introduction</b>	<b>5</b>
1.1 The process of Using TCP/IP Commands	5
1.2 Description of Data Access Mode	7
<b>2 Description of AT Command</b>	<b>8</b>
2.1 AT+NETOPEN Start Socket Service	8
2.2 AT+NETCLOSE Stop Socket Service	9
2.3 AT+CIPOPEN Establish Connection in Multi-Socket Mode	9
2.4 AT+CIPSEND Send data through TCP or UDP Connection	12
2.5 AT+CIPRXGET Set the Mode to Retrieve Data	15
2.6 AT+CIPCLOSE Close TCP or UDP Socket	17
2.7 AT+IPADDR Inquire Socket PDP address	18
2.8 AT+CIPHEAD Add an IP Header When Receiving Data	19
2.9 AT+CIPSRIP Show Remote IP Address and Port	19
2.10 AT+CIPMODE Set TCP/IP Application Mode	20
2.11 AT+CIPSENDMODE Set Sending Mode (未实现完全)	21
2.12 AT+CIPTIMEOUT Set TCP/IP Timeout Value	22
2.13 AT+CIPCCFG Configure Parameters of Socket (未实现完成)	22
2.14 AT+SERVERSTART Startup TCP Sever	23
2.15 AT+SERVERSTOP Stop TCP Sever	24
2.16 AT+CIPACK Query TCP Connection Data Transmitting Status	25
2.17 AT+CDNSGIP Query the IP Address of Given Domain Name	26
<b>3 Description of &lt;err_info&gt;</b>	<b>27</b>
<b>4 Description of &lt;err&gt;</b>	<b>28</b>
<b>5 Information Elements related to TCP/IP</b>	<b>28</b>
<b>6 Example</b>	<b>29</b>
6.1 Configure and Activate context	29
6.1.1 Network Environment	29
6.1.2 Configure Context	30
6.1.3 Activate context	30
6.1.4 Deactivate Context	30
6.2 TCP Client	30
6.2.1 TCP Client Works in Direct Push Mode	30

6.2.2 TCP Client Works in Buffer Access Mode .....	31
6.2.3 TCP Client Works in Transparent Access Mode .....	33
6.3 UDP Client .....	34
6.3.1 UDP Client Works in Direct Push Mode.....	34
6.3.2 UDP Client Works in Buffer Access Mode .....	35
6.3.3 UDP Client Works in Transparent Access Mode .....	37
6.4 TCP Server .....	39
6.4.1 Transparent Mode .....	39
6.4.2 Non-Transparent Mode.....	39
6.5 Extended Information .....	41
6.6 Query Connection Status .....	41

# 1 Introduction

## 1.1 The process of Using TCP/IP Commands

Through TCP/IP AT commands, host can activate/deactivate PDP context, start/close socket service and send/receive data via socket service. Figure 1 illustrates how to use TCP/IP AT commands:





Figure 1: Flow Chart of Using TCP/IP Commands

## 1.2 Description of Data Access Mode



The default mode is direct push mode.

### 1. Direct Push Mode

In direct push mode, user can send data by AT+CIPSEND. The received data will be outputted to COM port directly by URC as “+RECV FROM:<IP ADDRESS>:<PORT><CR><LF>+IPD(data length)<CR><LF><data>”.

### 2. Buffer Access Mode

AT+CIPRXGET=1 is used to enter into buffer access mode. In buffer access mode, user sends data by AT+CIPSEND. After receiving data, the module will buffer it and report a URC as “+CIPRXGET: 1,<link\_num>” to notify the host. Then host can retrieve data by AT+CIPRXGET.

### 3. Transparent Access Mode

AT+CIPMODE=1 is used to enter into transparent access mode. In transparent mode, the data received from COM port will be sent to internet directly, and the received data from Internet will be output to COM port directly as well. “+++” is used to exit from transparent access mode. When “+++” returns OK, the module will be switched to command mode. In transparent access mode, host cannot execute any AT command.

**Note:** Currently, only one socket is available under transparent mode, either TCP client or TCP server. In transparent mode, the first server (<server\_index> = 0) and the first client socket (<link\_num> = 0) are used for transparent mode operation. Other servers (<server\_index> = 1-3) and other client sockets (<link\_num> = 1-9) are still used in command mode.

### 4. Switch Between Data Mode and Command Mode

Hardware flow control is recommended.

Currently, USB->modem port, USB->AT port and UART port all support hardware flow control.

#### (1) Data mode -> Command mode

**Software switching:** escape sequence +++. Please take care, this is a complete command, do not separate each character. And the time delay before and after this sequence should be more than 1000 milliseconds, the interval of each character should not be more than 900 milliseconds.

**Hardware switching:** DTR pin could be used to trigger data mode and command mode. Command AT+D1 should be configured before application.

#### (2) Command Mode -> Data Mode

ATO is used to enter into transparent access mode from command mode. If it enters into transparent access mode successfully, CONNECT<text> will be returned.



## 2 Description of AT Command

### 2.1 AT+NETOPEN Start Socket Service

AT+NETOPEN is used to start service by activating PDP context. You must execute AT+NETOPEN before any other TCP/UDP related operations.

AT+NETOPEN Start Socket Service	
Read Command AT+NETOPEN?	Response +NETOPEN: <net_state>  <b>OK</b>
Execute Command AT+NETOPEN	Response 1. If the PDP context has not been activated or the network closed abnormally, response: <b>OK</b>  +NETOPEN: <err> 2. When the PDP context has been activated successfully, if you execute AT+NETOPEN again, response: <b>+IP ERROR: Network is already opened</b>  <b>ERROR</b>  3. other: <b>ERROR</b>
Maximum Response Time	Range: 3000ms-120000ms default: 120000ms (it can be set by AT+CIPTIMEOUT)
<b>Defined Values</b>	
<net_state>	Integer type, indicates the state of PDP context activation. 0 network close (deactivated) 1 network open(activated)
<err>	Integer type, the result of operation. 0 is success, other value is failure, please refer to Chapter 4 for details

## 2.2 AT+NETCLOSE Stop Socket Service

AT+NETCLOSE is used to stop service by deactivating PDP context. It can also close all the opened socket connections when you didn't close these connections by AT+CIPCLOSE.

AT+NETCLOSE Stop Socket Service	
Execute Command <b>AT+NETCLOSE</b>	<p>Response</p> <p>1. If the PDP context has been activated, response: <b>OK</b></p> <p><b>+NETCLOSE: &lt;err&gt;</b></p> <p>2. If the PDP context has been activated and one connection is in transparent mode, response:</p> <p><b>OK</b></p> <p><b>CLOSED</b></p> <p><b>+CIPCLOSE: &lt;link_num&gt;,&lt;err&gt;</b></p> <p><b>+NETCLOSE: &lt;err&gt;</b></p> <p>3. If the PDP context has not been activated, response: <b>+NETCLOSE: &lt;err&gt;</b></p> <p><b>ERROR</b></p> <p>4. other: <b>ERROR</b></p>
<b>Defined Values</b>	
<b>&lt;err&gt;</b>	<p>Integer type, the result of operation.</p> <p>0 is success, other value is failure, please refer to Chapter 4 for details</p>

## 2.3 AT+CIPOPEN Establish Connection in Multi-Socket Mode

You can use AT+CIPOPEN to establish a connection with TCP server and UDP server, the maximum of the connections is 10.

<b>AT+CIOPEN Establish Connection in Multi-Socket Mode</b>	
Test Command <b>AT+CIOPEN=?</b>	<p>Response</p> <p><b>+CIOPEN: (0-9),("TCP","UDP")</b></p> <p><b>OK</b></p>
Read Command <b>AT+CIOPEN?</b>	<p>Response</p> <p><b>+CIOPEN: &lt;link_num&gt; [,&lt;type&gt;,&lt;serverIP&gt;,&lt;serverPort&gt;,&lt;index&gt;]</b>  <b>+CIOPEN: &lt;link_num&gt; [,&lt;type&gt;,&lt;serverIP&gt;,&lt;serverPort&gt;,&lt;index&gt;]</b>  <b>[...]</b></p> <p><b>OK</b></p> <p>If a connection identified by &lt;link_num&gt; has not been established successfully, only +CIOPEN: &lt;link_num&gt; will be returned.</p>
TCP connection <b>AT+CIOPEN=&lt;link_num&gt;,"TCP",&lt;serverIP&gt;,&lt;serverPort&gt;[,&lt;localPort&gt;]</b>	<p>Response</p> <p>1. if PDP context has been activated successfully, response:  <b>OK</b></p> <p><b>+CIOPEN: &lt;link_num&gt;,&lt;err&gt;</b></p> <p>2. when the &lt;link_num&gt; is greater than 10, response :  <b>+IP ERROR: Invalid parameter</b></p> <p><b>ERROR</b></p> <p>3. If PDP context has not been activated, or the connection has been established, or parameter is incorrect, or other errors, response:  <b>+CIOPEN: &lt;link_num&gt;,&lt;err&gt;</b></p> <p><b>ERROR</b></p> <p>4. Transparent mode for TCP connection:  When you want to use transparent mode to transmit data, you should set AT+CIPMODE=1 before AT+NETOPEN. And if AT+CIPMODE=1 is set, the &lt;link_num&gt; is restricted to be only 0.  if success  <b>CONNECT [&lt;text&gt;]</b></p> <p>if failure  <b>CONNECT FAIL</b></p> <p>other:  <b>ERROR</b></p>
UDP Connection	<p>1. If PDP context has been activated successfully, response:</p>

<b>AT+CIPOPEN=&lt;link_num&gt;[,&lt;type&gt;,&lt;serverIP&gt;,&lt;serverPort&gt;,&lt;localPort&gt;,&lt;index&gt;]</b>	<p><b>+CIPOPEN: &lt;link_num&gt;,0</b></p> <p><b>OK</b></p> <p>2. When the &lt;link_num&gt; is greater than 10, response :</p> <p><b>+IP ERROR: Invalid parameter</b></p> <p><b>ERROR</b></p> <p>If PDP context has not been activated, or the connection has been established, or parameter is incorrect, or other errors, response:</p> <p><b>+CIPOPEN: &lt;link_num&gt;,&lt;err&gt;</b></p> <p><b>ERROR</b></p> <p>Other:</p> <p><b>ERROR</b></p>
<b>Maximum Response Time</b>	<p>Range: 3000ms-120000ms default: 120000ms (it can be set by AT+CIPTIMEOUT)</p>

<b>Defined Values</b>	
<b>&lt;link_num&gt;</b>	<p>Integer type, identifies a connection. Range is 0-9. If AT+CIPMODE=1 is set, the &lt;link_num&gt; is restricted to be only 0.</p>
<b>&lt;type&gt;</b>	<p>String type, identifies the type of transmission protocol. If AT+CIPMODE=1 is set, the &lt;type&gt; is restricted to be only "TCP".</p> <p>TCP Transmission Control Protocol UDP User Datagram Protocol</p>
<b>&lt;serverIP&gt;</b>	<p>String type, identifies the IP address of server. The IP address format consists of 4 octets, separated by decimal point, like "AAA.BBB.CCC.DDD". Also the domain name is supported here.</p> <p><b>NOTE:</b> If the domain name is inputted here, the timeout value for the AT+CIPOPEN shall be decided by AT+CIPDNSSET.</p>
<b>&lt;serverPort&gt;</b>	<p>Integer type, identifies the port of TCP server, range is 0-65535.</p> <p><b>NOTE:</b> When open port as TCP, the port must be the opened TCP port; When open port as UDP, the port may be any port. But, for Qualcomm, connecting the port 0 is regarded as an invalid operation.</p>
<b>&lt;localPort&gt;</b>	<p>Integer type, identifies the port of local socket, range is 0-65535.</p>
<b>&lt;index&gt;</b>	<p>Integer type, indicates whether the module is used as a client or server. When used as server, the range is 0-3, &lt;index&gt; is the server index to</p>

	<p>which the client is linked.</p> <p>-1 -- TCP client</p> <p>0-3 -- TCP server index</p>
<text>	String type, indicates CONNECT result code, please refer to ATX/AT\V/AT&E command for the string formats.
<err>	<p>Integer type, the result of operation.</p> <p>0 is success, other value is failure, please refer to Chapter 4 for details</p>

## 2.4 AT+CIPSEND Send data through TCP or UDP Connection

AT+CIPSEND is used to send data to remote side. If service type is TCP, the data is firstly sent to the module's internal TCP/IP stack, and then sent to server by protocol stack. The <length> field may be empty. While it is empty, each <Ctrl+Z> character present in the data should be coded as <ETX><Ctrl+Z>. Each <ESC> character present in the data should be coded as <ETX><ESC>. Each <ETX> character will be coded as <ETX><ETX>. Single <Ctrl+Z> means end of the input data. Single <ESC> is used to cancel the sending. <ETX> is 0x03, and <Ctrl+Z> is 0x1A, <ESC> is 0x1B.

AT+CIPSEND Send data through TCP or UDP Connection	
<p>Test Command</p> <p><b>AT+CIPSEND=?</b></p>	<p>Response</p> <p><b>AT+CIPSEND: (0-9),(1-1500)</b></p> <p><b>OK</b></p>
<p>If service type is "TCP", send data with changeable length</p> <p><b>AT+CIPSEND=&lt;link_num&gt;</b></p> <p>Response "&gt;", then type data to send, tap CTRL+Z to send data, tap ESC to cancel the operation</p>	<p>Response:</p> <p>1.If the connection identified by &lt;link_num&gt; has been established successfully, response:</p> <p>&gt;</p> <p>&lt;input data&gt;</p> <p><b>CTRL+Z</b></p> <p><b>OK</b></p> <p><b>+CIPSEND: &lt;link_num&gt;,&lt;reqSendLength&gt;,&lt;cnfSendLength&gt;</b></p> <p>2. If &lt;reqSendLength&gt; is equal &lt;cnfSendLength&gt;, it means that the data has been sent to TCP/IP protocol stack successfully.</p> <p>3. If the connection has not been established, abnormally closed, or parameter is incorrect, response:</p> <p><b>+CIPERROR: &lt;err&gt;</b></p> <p><b>ERROR</b></p> <p>4. Other:</p>

	<b>ERROR</b>
<p>If service type is “TCP”, send data with fixed length</p> <p><b>AT+CIPSEND=&lt;link_num&gt;,&lt;length&gt;</b></p> <p>Response “&gt;”, type data until the data length is equal to &lt;length&gt;</p>	<p>Response:</p> <p>1.If the connection identified by &lt;link_num&gt; has been established successfully, response:</p> <p>&gt;</p> <p><b>&lt;input data with specified length&gt;</b></p> <p><b>OK</b></p> <p><b>+CIPSEND: &lt;link_num&gt;,&lt;reqSendLength&gt;,&lt;cnfSendLength&gt;</b></p> <p>2. If &lt;reqSendLength&gt; is equal &lt;cnfSendLength&gt;, it means that the data has been sent to TCP/IP protocol stack successfully.</p> <p>3. If the connection has not been established, abnormally closed, or parameter is incorrect, response:</p> <p><b>+CIPERROR: &lt;err&gt;</b></p> <p><b>ERROR</b></p> <p>4. Other:</p> <p><b>ERROR</b></p>
<p>If service type is “UDP”, send data with changeable length</p> <p><b>AT+CIPSEND=&lt;link_num&gt;,&lt;serverIP&gt;,&lt;serverPort&gt;</b></p> <p>Response “&gt;”, then type data to send, tap CTRL+Z to send data, tap ESC to cancel the operation</p>	<p>Response:</p> <p>1. If the connection identified by &lt;link_num&gt; has been established successfully, response:</p> <p>&gt;</p> <p><b>&lt;input data&gt;</b></p> <p><b>CTRL+Z</b></p> <p><b>OK</b></p> <p><b>+CIPSEND: &lt;link_num&gt;,&lt;reqSendLength&gt;,&lt;cnfSendLength&gt;</b></p> <p>2. If the connection has not been established, abnormally closed, or parameter is incorrect, response:</p> <p><b>+CIPERROR: &lt;err&gt;</b></p> <p><b>ERROR</b></p>

	<p>3. Other: <b>ERROR</b></p>
<p>If service type is “UDP”, send data with fixed length <b>AT+CIPSEND=&lt;link_num&gt;,&lt;length&gt;,&lt;serverIP&gt;,&lt;serverPort&gt;</b> Response “&gt;”, type data until the data length is equal to &lt;length&gt;</p>	<p>Response:</p> <p>1. If the connection identified by &lt;link_num&gt; has been established successfully, response: &gt; <b>&lt;input data with specified length&gt;</b> <b>OK</b>  <b>+CIPSEND: &lt;link_num&gt;,&lt;reqSendLength&gt;,&lt;cnfSendLength&gt;</b></p> <p>2. If the connection has not been established, abnormally closed, or parameter is incorrect, response: <b>+CIPERROR: &lt;err&gt;</b>  <b>ERROR</b></p> <p>3. Other: <b>ERROR</b></p>
<b>Maximum Response Time</b>	<p>Range: 3000ms-120000ms default: 120000ms (it can be set by AT+CIPTIMEOUT)</p>

#### Defined Values

<b>&lt;link_num&gt;</b>	Integer type, identifies a connection. Range is 0-9.
<b>&lt;length&gt;</b>	Integer type, indicates the length of sending data, range is 1-1500.
<b>&lt;serverIP&gt;</b>	String type, identifies the IP address of server. The IP address format consists of 4 octets, separated by decimal point, like “AAA.BBB.CCC.DDD”.
<b>&lt;serverPort&gt;</b>	<p>Integer type, identifies the port of TCP server, range is 0-65535.</p> <p><b>NOTE:</b> When open port as TCP, the port must be the opened TCP port; When open port as UDP, the port may be any port. But, for Qualcomm, connecting the port 0 is regarded as an invalid operation.</p>
<b>&lt;reqSendLength&gt;</b>	Integer type, the length of the data requested to be sent
<b>&lt;cnfSendLength&gt;</b>	<p>Integer type, the length of the data confirmed to have been sent</p> <p>-1 the connection is disconnected.</p> <p>0 own send buffer or other side’s congestion window are full.</p> <p><b>Note:</b> If the &lt;cnfSendLength&gt; is not equal to the &lt;reqSendLength&gt;, the</p>

	socket then cannot be used further.
<err>	Integer type, the result of operation. 0 is success, other value is failure, please refer to Chapter 4 for details

## 2.5 AT+CIPRXGET Set the Mode to Retrieve Data

If set <mode> to 1, after receiving data, the module will buffer it and report a URC as “+CIPRXGET: 1,<link\_num>” to notify the host. Then host can retrieve data by AT+CIPRXGET.

If set <mode> to 0, the received data will be outputted to COM port directly by URC as “+RECV FROM:<IP ADDRESS>:<PORT><CR><LF>+IPD(data length)<CR><LF><data>”.

The default value of <mode> is 0.

### Note:

1. If the buffer is not empty, and the module receives data again, then it will not report a new URC until all the received data has been retrieved by AT+CIPRXGET from buffer.
2. When <mode> is set to 1 and the 2-4 mode will take effect.
3. If initially set <mode> to 1, after doing some data transmitting, set <mode> to 0, then the buffered data of the previously established connection will be output to the serial port directly, and the maximum length of output data at a time is 1500.

### AT+CIPRXGET Set the Mode to Retrieve Data

Test Command AT+CIPRXGET=?	Response +CIPRXGET: (0-4),(0-9),(1-1500)  OK
Read Command AT+CIPRXGET?	Response +CIPRXGET: <mode>  OK
AT+CIPRXGET=<mode> In this case, <mode> can only be 0 or 1	Response If the parameter is correct, response: OK Else, response: ERROR
AT+CIPRXGET=2,<link_num>[,<len>]  Retrieve data in ACSII form	Response 1. If <len> field is empty, the default value to read is 1500. If the buffer is not empty, response: +CIPRXGET: <mode>,<link_num>,<read_len>,<rest_len> <data> <a href="#">ACSII form</a>  OK  2. If the buffer is empty, response:



	<p><b>+IP ERROR: No data</b></p> <p><b>ERROR</b></p> <p>3. If the parameter is incorrect or other error, response: <b>+IP ERROR: &lt;err_info&gt;</b></p> <p><b>ERROR</b></p> <p>4. Other <b>ERROR</b></p>
<p><b>AT+CIPRXGET=3,&lt;link_num&gt;[,&lt;len&gt;]</b> Retrieve data in hex form</p>	<p>Response</p> <p>1. If &lt;length&gt; field is empty, the default value to read is 750. If the buffer is not empty, response: <b>+CIPRXGET: &lt;mode&gt;,&lt;link_num&gt;,&lt;read_len&gt;,&lt;rest_len&gt;</b> <b>&lt;data&gt;</b>hex form</p> <p><b>OK</b></p> <p>2. If the buffer is empty, response: <b>+IP ERROR: No data</b></p> <p><b>ERROR</b></p> <p>3. If the parameter is incorrect or other error, response: <b>+IP ERROR: &lt;err_info&gt;</b></p> <p><b>ERROR</b></p> <p>4. Other <b>ERROR</b></p>
<p><b>AT+CIPRXGET=4,&lt;link_num&gt;</b></p>	<p>1. If the parameter is correct, response: <b>+CIPRXGET: 4,&lt;link_num&gt;,&lt;rest_len&gt;</b></p> <p><b>OK</b></p> <p>2. If the parameter is incorrect or other error, response: <b>+IP ERROR: &lt;err_info&gt;</b></p> <p><b>ERROR</b></p> <p>3. Other:</p>

	<b>ERROR</b>
--	--------------

### Defined Values

<b>&lt;mode&gt;</b>	Integer type, sets the mode to retrieve data 0 – set the way to get the network data automatically 1 – set the way to get the network data manually 2 – read data, the max read length is 1500 3 – read data in HEX form, the max read length is 750 4 – get the rest data length
<b>&lt;link_num&gt;</b>	Integer type, identifies a connection. Range is 0-9.
<b>&lt;len&gt;</b>	Integer type, the data length to be read. Not required, the default value is 1500 when <mode>=2, and 750 when <mode>=3.
<b>&lt;read_len&gt;</b>	Integer type, the length of data that has been read.
<b>&lt;rest_len&gt;</b>	Integer type, the length of data which has not been read in the buffer.
<b>&lt;err_info&gt;</b>	String type, displays the cause of occurring error, please refer to Chapter 3 for details.

## 2.6 AT+CIPCLOSE Close TCP or UDP Socket

AT+CIPCLOSE is used to close a TCP or UDP Socket

<b>AT+CIPCLOSE CloseTCPor UDP Socket</b>	
Test Command <b>AT+CIPCLOSE=?</b>	Response <b>+CIPCLOSE: (0-9)</b>  <b>OK</b>
Read Command <b>AT+CIPCLOSE?</b>	Response <b>+CIPCLOSE:&lt;link0_state&gt;,&lt;link1_state&gt;,&lt;link2_state&gt;,&lt;link3_state&gt;,&lt;link4_state&gt;,&lt;link5_state&gt;,&lt;link6_state&gt;,&lt;link7_state&gt;,&lt;link8_state&gt;,&lt;link9_state&gt;</b>  <b>OK</b>
Write Command <b>AT+CIPCLOSE=&lt;link_num&gt;</b>	Response: 1. If service type is TCP and the connection identified by <link_num> has been established, response <b>OK</b>  <b>+CIPCLOSE: &lt;link_num&gt;,&lt;err&gt;</b> 2. If service type is UDP and the connection identified by <link_num> has

	<p>been established and closed successfully, response: <b>+CIPCLOSE: &lt;link_num&gt;,0</b></p> <p><b>OK</b></p> <p>3. If the connection identified by &lt;link_num&gt; is in transparent mode, response <b>OK</b></p> <p><b>CLOSED</b></p> <p><b>+CIPCLOSE: &lt;link_num&gt;,&lt;err&gt;</b></p> <p>4. If the connection has not been established, abnormally closed, or parameter is incorrect, response: <b>+CIPCLOSE: &lt;link_num&gt;,&lt;err&gt;</b></p> <p><b>ERROR</b></p> <p>5. Other: <b>ERROR</b></p>
--	--

Defined Values	
<link_num>	Integer type, identifies a connection. Range is 0-9.
<linkX_state>	<p>Integer type, indicates state of connection identified by &lt;link_num&gt;. Range is 0-1.</p> <p>0 -- disconnected</p> <p>1 -- connected</p>
<err>	<p>Integer type, the result of operation.</p> <p>0 is success, other value is failure, please refer to Chapter 4 for details</p>

## 2.7 AT+IPADDR Inquire Socket PDP address

AT+IPADDR is used to get active PDP address.

AT+IPADDR Inquire Socket PDP Address	
Execute Command	Response
<b>AT+IPADDR</b>	<p>1. If PDP context has been activated successfully, response <b>+IPADDR: &lt;ip_address&gt;</b></p> <p><b>OK</b></p>

	<p>2. Else, response: <b>+IP ERROR: Network not opened</b></p> <p><b>ERROR</b></p>
--	--

#### Defined Values

<b>&lt;ip_address&gt;</b>	String type, identifies the IP address of current active socket PDP.
---------------------------	--

## 2.8 AT+CIPHEAD Add an IP Header When Receiving Data

AT+CIPHEAD is used to add an IP header when receiving data.

AT+CIPHEAD Add an IP Header When Receiving Data	
<p>Test Command</p> <p><b>AT+CIPHEAD=?</b></p>	<p>Response</p> <p><b>+CIPHEAD: (0-1)</b></p> <p><b>OK</b></p>
<p>Read Command</p> <p><b>AT+CIPHEAD?</b></p>	<p>Response</p> <p><b>+CIPHEAD: &lt;mode&gt;</b></p> <p><b>OK</b></p>
<p>Write Command</p> <p><b>AT+CIPHEAD=&lt;mode&gt;</b></p>	<p>Response</p> <p>If the parameter is correct, response: <b>OK</b></p> <p>Else, response: <b>ERROR</b></p>
<p>Execute Command</p> <p><b>AT+CIPHEAD</b></p>	<p>Response</p> <p>Set default value:(&lt;mode&gt;=1) <b>OK</b></p>

#### Defined Values

<b>&lt;mode&gt;</b>	<p>Integer type, indicates whether adding an IP header or not when receiving data</p> <p>0— not add IP header</p> <p>1— add IP header, the format is “+IPD(data length)”</p>
---------------------	--

## 2.9 AT+CIPSRIP Show Remote IP Address and Port

AT+CIPSRIP is used to set whether to display IP address and port of server when receiving data.

<b>AT+CIPSRIP Show Remote IP Address and Port</b>	
Test Command <b>AT+CIPSRIP =?</b>	Response <b>+CIPSRIP: (0-1)</b>  <b>OK</b>
Read Command <b>AT+CIPSRIP?</b>	Response <b>+CIPSRIP: &lt;mode&gt;</b>  <b>OK</b>
Write Command <b>AT+CIPSRIP =&lt;mode&gt;</b>	Response If the parameter is correct, response: <b>OK</b> Else, response: <b>ERROR</b>
Execute Command <b>AT+CIPSRIP</b>	Response Set default value:(<mode>=1) <b>OK</b>

#### Defined Values

<b>&lt;mode&gt;</b>	Integer type, indicates whether to show IP address and port of server or not when receiving data. 0 –not show 1– show, the format is as follows: “RECV FROM:<IP ADDRESS>:<PORT>”
---------------------	---

## 2.10 AT+CIPMODE Set TCP/IP Application Mode

AT+CIPMODE is used to select transparent mode (data mode) or non-transparent mode (command mode).The default mode is non-transparent mode.

<b>AT+CIPMODE Set TCP/IP Application Mode</b>	
Test Command <b>AT+CIPMODE =?</b>	Response <b>+CIPMODE: (0-1)</b>  <b>OK</b>
Read Command <b>AT+CIPMODE?</b>	Response <b>+CIPMODE: &lt;mode&gt;</b>  <b>OK</b>
Write Command <b>AT+CIPMODE=&lt;mode&gt;</b>	Response If the parameter is correct, response:

	<b>OK</b> Else, response: <b>ERROR</b>
Execute Command <b>AT+CIPMODE</b>	Response Set default value:(<mode> =0) <b>OK</b>

#### Defined Values

<mode>	Integer type, sets TCP/IP application mode 0–Non transparent mode 1–Transparent mode
--------	--

## 2.11 AT+CIPSENDMODE Set Sending Mode (未实现完全)

AT+CIPSENDMODE is used to select sending mode when service type is “TCP”.

If set <mode> to 1, when sending data by AT+CIPSEND, the URC “+CIPSEND: <link\_num>,<reqSendLength>,<cnfSendLength>” will not be returned until module receives the server’s ACK message to the sent data last time.

If set <mode> to 0, the URC “+CIPSEND: <link\_num>,<reqSendLength>,<cnfSendLength>” will be returned If the data has been sent to module’s internal TCP/IP protocol stack. In this case, the module doesn’t need to wait for the server’s ACK message.

The default mode is sending without waiting peer TCP ACK mode.

AT+CIPSENDMODE Set Sending Mode	
Test Command <b>AT+CIPSENDMODE=?</b>	Response <b>+CIPSENDMODE: (0-1)</b>  <b>OK</b>
Read Command <b>AT+CIPSENDMODE?</b>	Response <b>+CIPSENDMODE: &lt;mode&gt;</b>  <b>OK</b>
Write Command <b>AT+CIPSENDMODE=&lt;mode&gt;</b>	Response If the parameter is correct, response: <b>OK</b> Else, response: <b>ERROR</b>

#### Defined Values

<mode>	Integer type, sets sending mode 0–sending without waiting peer TCP ACK mode 1–sending wait peer TCP ACK mode
--------	--

## 2.12 AT+CIPTIMEOUT Set TCP/IP Timeout Value

AT+CIPTIMEOUT is used to set timeout value for AT+NETOPEN/AT+CIPOPEN/AT+CIPSEND.

AT+CIPTIMEOUT Set TCP/IP Timeout Value	
Read Command AT+CIPTIMEOUT?	Response +CIPTIMEOUT: <netopen_timeout>,<cipopen_timeout>,<cipsend_timeout>  OK
Write Command AT+CIPTIMEOUT=[<netopen_timeout>][,<cipopen_timeout>][,<cipsend_timeout>]]	Response If the parameter is correct, response: OK Else, response: ERROR

### Defined Values

<netopen_timeout>	Integer type, timeout value for AT+NETOPEN. default is 120000ms. Range is 3000ms-120000ms.
<cipopen_timeout>	Integer type, timeout value for AT+CIPOPEN. default is 120000ms. Range is 3000ms-120000ms.
<cipsend_timeout>	Integer type, timeout value for AT+CIPSEND. default is 120000ms. Range is 3000ms-120000ms.

## 2.13 AT+CIPCCFG Configure Parameters of Socket (未实现完成)

AT+CIPCCFG is used to configure parameters of socket.

AT+CIPCCFG Configure Parameters of Socket	
Test Command AT+CIPCCFG=?	Response +CIPCCFG: (0-10),(0-1000),(0),(0-1),(0-1),(0-1),(500-120000)  OK
Read Command AT+CIPCCFG?	Response +CIPCCFG:<NmRetry>,<DelayTm>,<Ack>,<errMode>,<Header-Type>,<AsyncMode>,<TimeoutVal>  OK

Write Command <b>AT+CIPCCFG=[&lt;NmRetry&gt;][,&lt;DelayTm&gt;][,&lt;Ack&gt;][,&lt;errMode&gt;][,&lt;HeaderType&gt;][,&lt;AsyncMode&gt;][,&lt;TimeoutVal&gt;]]]]]]]</b>	Response If the parameter is correct, response: <b>OK</b> Else, response: <b>ERROR</b>
Execute Command <b>AT+CIPCCFG</b>	Response Set default value: <b>OK</b>

### Defined Values

<b>&lt;NmRetry&gt;</b>	Integer type, number of retransmission to be made for an IP packet. Range is 0-10. The default value is 10.
<b>&lt;DelayTm&gt;</b>	Integer type, number of milliseconds to delay to output data of Receiving. Range is 0-1000. The default value is 0.
<b>&lt;Ack&gt;</b>	Integer type, it can only be set to 0. It's used to be compatible with old TCP/IP command set.
<b>&lt;errMode&gt;</b>	Integer type, sets mode of reporting <err_info>, default value is 1. 0 error result code with numeric values 1 error result code with string values
<b>&lt;HeaderType&gt;</b>	Integer type, select which data header is used when receiving data, it only takes effect in multi-client mode. Default value is 0. 0 add data header, the format is "+IPD<data length>" 1 add data header, the format is "+RECEIVE,<link num>,<data length>"
<b>&lt;AsyncMode&gt;</b>	Integer type, range is 0-1. Default value is 0. It's used to be compatible with old TCP/IP command set.
<b>&lt;TimeoutVal&gt;</b>	Integer type, set the minimum retransmission timeout value for TCP connection. Range is 500ms-120000ms. Default is 500ms.

## 2.14 AT+SERVERSTART Startup TCP Sever

AT+SERVERSTART is used to startup a TCP server, and the server can receive the request of TCP client. After the command executes successfully, an unsolicited result code is returned when a client tries to connect with module and module accepts request. The unsolicited result code is+CLIENT: <link\_num>,<server\_index>,<client\_IP>:<port>.

### AT+SERVERSTART Startup TCP Sever

Test Command <b>AT+SERVERSTART=?</b>	Response <b>+SERVERSTART: (0-65535),(0-3)</b>
---	--



	<b>OK</b>
Read Command <b>AT+SERVERSTART?</b>	<p>Response</p> <p>1.If the PDP context has not been activated successfully, response: <b>+CIPERROR: &lt;err&gt;</b></p> <p><b>ERROR</b></p> <p>2. If there exists opened server, response: <b>[+SERVERSTART: &lt;server_index&gt;,&lt;port&gt; ...]</b></p> <p><b>OK</b></p> <p>3. Other: <b>ERROR</b></p>
Write Command <b>AT+SERVERSTART=&lt;port&gt;,&lt;server_index&gt;[,&lt;backlog&gt;]</b>	<p>Response</p> <p>1.If there is no error, response: <b>OK</b></p> <p>2. If the PDP context has not been activated, or the server identified by &lt;server_index&gt; has been opened, or the parameter is not correct, or other errors, response: <b>+CIPERROR: &lt;err&gt;</b></p> <p><b>ERROR</b></p> <p>3. Other: <b>ERROR</b></p>

#### Defined Values

<b>&lt;port&gt;</b>	Integer type, identifies the listening port of module when used as a TCP server. Range is 0-65535.
<b>&lt;server_index&gt;</b>	Integer type, the TCP server index, range is 0-3.
<b>&lt;backlog&gt;</b>	Integer type, the maximum connections can be queued in listening queue. Range is 1-3. Default is 3.

## 2.15 AT+SERVERSTOP Stop TCP Sever

AT+SERVERSTOP is used to stop TCP server. Before stopping a TCP server, all sockets <server\_index> of which

equals to the closing TCP server index must be closed first.

<b>AT+SERVERSTOP Stop TCP Sever</b>	
<p>Write Command</p> <p><b>AT+SERVERSTOP=&lt;server_index&gt;</b></p>	<p>Response</p> <p>1.If there exists open connection with the server identified by &lt;server_index&gt;, or the server identified by &lt;server_index&gt; has not been opened, or the parameter is incorrect, response: <b>+SERVERSTOP: &lt;server_index&gt;,&lt;err&gt;</b></p> <p><b>ERROR</b></p> <p>2. If the server socket is closed immediately, response: <b>+SERVERSTOP: &lt;server_index&gt;,0</b></p> <p><b>OK</b></p> <p>(In general, the result is shown as below.)</p> <p>3. If the server socket starts to close, response: <b>OK</b></p> <p><b>+SERVERSTOP: &lt;server_index&gt;,&lt;err&gt;</b></p> <p>4. Other: <b>ERROR</b></p>
<b>Defined Values</b>	
<b>&lt;server_index&gt;</b>	Integer type, the TCP server index, range is 0-3.
<b>&lt;err&gt;</b>	Integer type, the result of operation. 0 is success, other value is failure, please refer to Chapter 4 for details

## 2.16 AT+CIPACK Query TCP Connection Data Transmitting Status

AT+CIPACK is used to query TCP connection data transmitting status.

<b>AT+CIPACK Query Connection Data Transmitting State</b>	
<p>Test Command</p> <p><b>AT+CIPACK=?</b></p>	<p>Response</p> <p><b>+CIPACK: (0-9)</b></p> <p><b>OK</b></p>
Write Command	Response

<b>AT+CIPACK=&lt;link_num&gt;</b>	<p>If the PDP context has not been activated, or the connection identified by &lt;link_num&gt; has not been established, abnormally closed, or the parameter is incorrect, or other errors, response:</p> <p><b>+IP ERROR: &lt;err_info&gt;</b></p> <p><b>ERROR</b></p> <p>If the connection has been established, and the service type is "TCP", response:</p> <p><b>+CIPACK: &lt;sent_data_size&gt;,&lt;ack_data_size&gt;,&lt;recv_data_size&gt;</b></p> <p><b>OK</b></p>
-----------------------------------	---

Defined Values	
<b>&lt;link_num&gt;</b>	Integer type, identifies a connection. Range is 0-9.
<b>&lt;sent_data_size&gt;</b>	Integer type, the total length of sent data
<b>&lt;ack_data_size&gt;</b>	Integer type, the total length of acknowledged data.
<b>&lt;recv_data_size&gt;</b>	Integer type, the total length of received data
<b>&lt;err&gt;</b>	Integer type, the result of operation. 0 is success, other value is failure, please refer to Chapter 4 for details
<b>&lt;err_info&gt;</b>	String type, displays the cause of occurring error, please refer to Chapter 3 for details.

## 2.17 AT+CDNSGIP Query the IP Address of Given Domain Name

AT+CDNSGIP is used to query the IP address of given domain name.

AT+CDNSGIP Query the IP Address of Given Domain Name	
Test Command <b>AT+CDNSGIP=?</b>	Response <b>OK</b>
Write Command <b>AT+CDNSGIP=&lt;domain name&gt;</b>	<p>Response</p> <p>1.If the given domain name has related IP, response:</p> <p><b>+CDNSGIP: 1,&lt;domain name&gt;,&lt;IP address&gt;</b></p> <p><b>OK</b></p> <p>2. If the given name has no related IP, response:</p> <p><b>+CDNSGIP: 0,&lt;dns error code&gt;</b></p> <p><b>ERROR</b></p> <p>3. Other:</p> <p><b>ERROR</b></p>

## Defined Values

<b>&lt;domain name&gt;</b>	String type (string should be included in quotation marks), indicates the domain name. The maximum length of domain name is 254. Valid characters allowed in the domain name area include a-z, A-Z, 0-9, "-" (hyphen) and ".". A domain name is made up of one label name or more label names separated by "." (eg: AT+CDNSGIP="aa.bb.cc"). For label names separated by ".", length of each label must be no more than 63 characters. The beginning character of the domain name and of labels should be an alphanumeric character.
<b>&lt;IP address&gt;</b>	String type, indicates the IP address corresponding to the domain name.
<b>&lt;dns error code&gt;</b>	Integer type, indicates the error code. 10    DNS GENERAL ERROR

## Example

```
AT+CDNSGIP="www.baidu.com"
+CDNSGIP: 1,"www.baidu.com","61.135.169.121"
```

OK

## 3 Description of <err\_info>

The fourth parameter <errMode> of AT+CIPCCFG (TODO) is used to determine how <err\_info> is displayed.

If <errMode> is set to 0, the <err\_info> is displayed with numeric value.

If <errMode> is set to 1, the <err\_info> is displayed with string value.

The default is displayed with string value.

Numeric Value	String Value
21	Operation failed
0	Connection time out
1	Bind port failed
2	Port overflow
3	Create socket failed
4	Network is already opened
5	Network is already closed
6	No clients connected
7	No active client
8	Network not opened
9	Client index overflow
10	Connection is already created
11	Connection is not created

Numeric Value	String Value
12	Invalid parameter
13	Operation not supported
14	DNS query failed
15	TCP busy
16	Net close failed for socket opened
17	Sending time out
18	Sending failure for network error
19	Open failure for network error
20	Server is already listening
22	No data

## 4 Description of <err>

<err>	Description of <err>
0	operation succeeded
1	Network failure
2	Network not opened
3	Wrong parameter
4	Operation not supported
5	Failed to create socket
6	Failed to bind socket
7	TCP server is already listening
8	Busy
9	Sockets opened
10	Timeout
11	DNS parse failed for AT+CIPOPEN
12	Unknown error

## 5 Information Elements related to TCP/IP

Information	Description
<b>+CIPEVENT: NETWORK CLOSED UNEXPECTEDLY</b>	Network is closed for network error(Out of service, etc). When this event happens, user's application needs to check and close all opened sockets, and then uses AT+NETCLOSE to release the network library if AT+NETOPEN? shows the network library is still opened.

<b>+IPCLOSE:</b> <client_index>,<close_reason>	Socket is closed passively. <client_index> is the link number. <close_reason>: 0 - Closed by local, active 1 - Closed by remote, passive 2 - Closed for sending timeout or DTR off
<b>+CLIENT:</b> < link_num>,<server_index>,<client_IP>:<port>	TCP server accepted a new socket client, the index is<link_num>, the TCP server index is <server_index>. The peer IP address is <client_IP>, the peer port is <port>.

## 6 Example

### 6.1 Configure and Activate context

#### 6.1.1 Network Environment

TCP/IP application is based on GPRS network. Please make sure that GPRS network is available before TCP/IP setup.

**AT+CSQ**

**+CSQ: 25,99**

**OK**

**AT+CREG?**

**+CREG: 0,1**

**OK**

**AT+CPSI?**

**+CPSI: LTE,Online,460-00,0x1816,27593483,139,EUTRAN-BAND39,38400,5,5,-88,-868,-578,18**

**OK**

**AT+CGREG?**

**+CGREG: 0,1**

**OK**

## 6.1.2 Configure Context

```
AT+CGDCONT=1,"IP","CMNET"  
OK
```

## 6.1.3 Activate context

```
AT+NETOPEN  
OK  
  
+NETOPEN: 0  
AT+IPADDR  
+IPADDR: 10.148.0.17  
  
OK
```

## 6.1.4 Deactivate Context

```
AT+NETCLOSE  
OK  
  
+NETCLOSE: 0
```

## 6.2 TCP Client

### 6.2.1 TCP Client Works in Direct Push Mode

#### 6.2.1.1 Set up TCP Client Connection

```
AT+NETOPEN  
OK  
  
+NETOPEN: 0  
AT+CIOPEN=1,"TCP","117.131.85.139",5253 // set up a TCP connection, <link_num> is 1. Before  
using AT+CIOPEN, host should activate PDP
```

Context with AT+NETOPEN first.

OK

+CIPOPEN: 1,0

#### 6.2.1.2 Send data to Server

**AT+CIPSEND=1,5** // send data with fixed length

>HELLO

OK

+CIPSEND: 1,5,5

**AT+CIPSEND=1** // send data with changeable length, <CTRL+Z> to end

>HELLOWORLD<CTRL+Z>

OK

+CIPSEND: 1,10,10

#### 6.2.1.3 Receive Data From Server

**RCV FROM:117.131.85.139:5253** // data from server directly output to COM

+IPD16

data from server

#### 6.2.1.4 Close TCP Connection

**AT+CIPCLOSE=1**

OK

+CIPCLOSE: 1,0

### 6.2.2 TCP Client Works in Buffer Access Mode

#### 6.2.2.1 Set up TCP Client connection

**AT+NETOPEN**

OK



**+NETOPEN: 0**

**AT+CIPRXGET=1**// buffer access mode, get data by AT+CIPRXGET

**OK**

**AT+CIOOPEN=1,"TCP","117.131.85.139",5253**//set up a TCP connection, <link\_num> is 1

**OK**

**+CIOOPEN: 1,0**

#### 6.2.2.2 Send Data to Server

**AT+CIPSEND=1,5**// send data with fixed length

**>hello**

**OK**

**+CIPSEND: 1,5,5**

#### 6.2.2.3 Receive Data from Server

**+CIPRXGET: 1,1**// URC to notify host of data from server

**AT+CIPRXGET=4,1**// query the length of data in the buffer of socket with  
// <link\_num>=1

**+CIPRXGET: 4,1,16**

**OK**

**AT+CIPRXGET=2,1,5**// get data in ASCII form

**+CIPRXGET: 2,1,5,11**// read 5 bytes data and left 11 bytes  
data

**OK**

**AT+CIPRXGET=3,1,5**// get data in hex form

**+CIPRXGET: 3,1,5,6**

**66726F6D20**

**OK**

**AT+CIPRXGET=4,1**// read the length of unread data in buffer

**+CIPRXGET: 4,1,6**

**OK**

**AT+CIPRXGET=2,2**// the connection identified by link\_num=2 has not been established

**+IP ERROR: No data**

#### ERROR

**AT+CIPRXGET=2,1**

**+CIPRXGET: 2,1,6,0**

server

#### OK

**AT+CIPRXGET=4,1**// all the data in buffer has been read, the rest\_len is 0.

**+CIPRXGET: 4,1,0**

#### OK

### 6.2.2.4 Close TCP Connection

**AT+CIPCLOSE=1**

OK

**+CIPCLOSE: 1,0**

## 6.2.3 TCP Client Works in Transparent Access Mode

### 6.2.3.1 Set up TCP Client Connection

**AT+CIPMODE=1**// Enter into transparent mode by at+cipmode=1

OK

**AT+NETOPEN**

OK

**+NETOPEN: 0**

// only <link\_num>=0 is allowed to operate with transparent mode.

**AT+CIPMODE=0,"TCP","117.131.85.139",5253**

**CONNECT 115200**

### 6.2.3.2 Send Data to Server

**All data got from com port will be sent to internet directly**

### 6.2.3.3 Receive Data From Server

**DATA FROM SERVER****DATA FROM SERVER**//all the received data from server will be output to com port directly

**OK**// sequence of +++ to quit transparent mode

**AT+CIOPEN?**

**+CIOPEN: 0,"TCP","117.131.85.139",5253,-1**

**+CIOPEN: 1**

**+CIOPEN: 2**

**+CIOPEN: 3**

**+CIOPEN: 4**

**+CIOPEN: 5**

**+CIOPEN: 6**

**+CIOPEN: 7**

**+CIOPEN: 8**

**+CIOPEN: 9**

**OK**

**ATO**//ATO to enter transparent mode again

**CONNECT 115200**

**HELLO CLIENT**

**OK**

#### 6.2.3.4 Close TCP Connection

**AT+CIPCLOSE=0**

**OK**

**CLOSED**

**+CIPCLOSE: 0,0**

### 6.3 UDP Client

#### 6.3.1UDP Client Works in Direct Push Mode

##### 6.3.1.1 Set up UDP Client Connection

**AT+NETOPEN**

**OK**

**+NETOPEN: 0**

// when set a UDP connection, the remote IP address and port is not necessary, but the local port

must be specified.

**AT+CIOPEN=1,"UDP",,,5000**

**+CIOPEN: 1,0**

**OK**

### 6.3.1.2 Send data to Server

// for UDP connection, when sending data, user must specify the remote IP address and port

**AT+CIPSEND=1,"117.131.85.139",5254**//send data with changeable length, <CTRL+Z> to end

**>HELLOSERVER**

**OK** <CTRL+Z>

**+CIPSEND: 1,11,11**

**AT+CIPSEND=1,5,"117.131.85.139",5254** //send data with fixed length

**>HELLO**

**OK**

**+CIPSEND: 1,5,5**

### 6.3.1.3 Receive Data From Server

**RCV FROM:117.131.85.139:5254** //data from server output to COM port directly

**+IPD14**

**HELLO CLIENT**

### 6.3.1.4 Close UDP Connection

**AT+CIPCLOSE=1**

**+CIPCLOSE: 1,0**

**OK**

## 6.3.2 UDP Client Works in Buffer Access Mode

### 6.3.2.1 Set up UDP Client connection

#### AT+NETOPEN

OK

+NETOPEN: 0

**AT+CIPRXGET=1**// buffer access mode, get data by AT+CIPRXGET

OK

// when set a UDP connection, the remote IP address and port is not necessary, but the local port must be specified.

**AT+CIOPEN=1,"UDP",,,5000**

+CIOPEN: 1,0

OK

#### 6.3.2.2 Send Data to Server

// for UDP connection, when sending data, user must specify the remote IP address and port

**AT+CIPSEND=1,"117.131.85.139",5254**//send data with changeable length, <CTRL+Z> to end

>HELLOSERVER

OK <CTRL+Z>

+CIPSEND: 1,11,11

**AT+CIPSEND=1,5,"117.131.85.139",5254** //send data with fixed length

>HELLO

OK

+CIPSEND: 1,5,5

#### 6.3.2.3 Receive Data From Server

+CIPRXGET: 1,1// URC to notify host of data from server

**AT+CIPRXGET=4,1**// query the length of data in the buffer of socket with <link\_num>=1

+CIPRXGET: 4,1,16

OK

**AT+CIPRXGET=2,1,5**// get data in ASCII form

+CIPRXGET: 2,1,5,11

data

OK

**AT+CIPRXGET=3,1,5**// get data in hex form

+CIPRXGET: 3,1,5,6

66726F6D20

**OK**

**AT+CIPRXGET=4,1**// read the length of unread data in buffer

**+CIPRXGET: 4,1,6**

**OK**

**AT+CIPRXGET=2,2**// the connection identified by link\_num=2 has not been established

**+IP ERROR: No data**

**ERROR**

**AT+CIPRXGET=2,1**

**+CIPRXGET: 2,1,6,0**

**server**

**OK**

**AT+CIPRXGET=4,1**// all the data in buffer has been read, the rest\_len is 0.

**+CIPRXGET: 4,1,0**

**OK**

#### 6.3.2.4 Close UDP Connection

**AT+CIPCLOSE=1**

**OK**

**+CIPCLOSE: 1,0**

### 6.3.3 UDP Client Works in Transparent Access Mode

#### 6.3.3.1 Set up UDP Client Connection

**AT+CIPMODE=1**

**OK**

**AT+NETOPEN**

**OK**

**+NETOPEN: 0**

**AT+CIPOPEN=0,"UDP","117.131.85.139",5254,5000** //only <link\_num>=0 is allowed to operate with transparent mode.

**CONNECT 115200**

### 6.3.3.2 Send Data to Server

All data got from com port will be sent to internet directly

### 6.3.3.3 Receive Data From Server

//data from server output to COM port directly

HELLO CLIENT

HELLO CLIENT

OK // sequence of +++ to quit transparent mode

**AT+CIOPEN?**

+CIOPEN: 0,"UDP","117.131.85.139",5254,-1

+CIOPEN: 1

+CIOPEN: 2

+CIOPEN: 3

+CIOPEN: 4

+CIOPEN: 5

+CIOPEN: 6

+CIOPEN: 7

+CIOPEN: 8

+CIOPEN: 9

OK

### 6.3.3.4 Close UDP Connection

**AT+CIPCLOSE=0**

CLOSED

+CIPCLOSE: 0,0

OK

## 6.4 TCP Server

### 6.4.1 Transparent Mode

```
AT+CIPMODE=1
OK
AT+NETOPEN
OK

+NETOPEN: 0
AT+SERVERSTART=8080,0//only <server_index>=0 is allowed to operate with transparent mode.
OK

+CLIENT: 0,0,192.168.108.5:57202//only <link_num> 0 can be used for transparent mode operation.
CONNECT 115200
// sequence of +++ to quit data mode
OK
AT+CIPCLOSE=0// close client connection
OK

CLOSED
+CIPCLOSE: 0,0

AT+SERVERSTOP=0           // close server socket
+SERVERSTOP: 0,0
OK
```

### 6.4.2 Non-Transparent Mode

Module supports 4 sockets to listen.

```
AT+NETOPEN
OK

+NETOPEN: 0,0
AT+SERVERSTART=8080,0
OK
```



**AT+SERVERSTART=9090,1**

**OK**

**AT+SERVERSTART=7070,2**

**OK**

**AT+SERVERSTART=6060,3**

**OK**

//If a socket is accepted, the following URC will be reported:

**+CLIENT: 0,1,192.168.108.5:57202**

//User can use AT+CIOPEN? to check the accepted socket

**AT+CIOPEN?**

**+CIOPEN: 0,"TCP","192.168.108.5",57202,1**

// last parameter of 1 indicates this is an accepted socket, this server index is 1

**+CIOPEN: 1**

**+CIOPEN: 2**

**+CIOPEN: 3**

**+CIOPEN: 4**

**+CIOPEN: 5**

**+CIOPEN: 6**

**+CIOPEN: 7**

**+CIOPEN: 8**

**+CIOPEN: 9**

**OK**

**AT+CIPSEND=0,5**// only supports fixed-length to send

**>HELLO**

**OK**

**+CIPSEND: 0,5,5**

**AT+SERVERSTOP=0** // if unspecified, it will close 0 channel

**+SERVERSTOP: 0,0**

**OK**

**AT+SERVERSTOP=1**

**+SERVERSTOP: 1,0**

**OK**

**AT+SERVERSTOP=2**

**+SERVERSTOP: 2,0**

**OK**

**AT+SERVERSTOP=3**

**+SERVERSTOP: 3,0**

OK

**AT+NETCLOSE**

OK

+NETCLOSE: 0

## 6.5 Extended Information

## 6.6 Query Connection Status

**AT+CIOPEN=1,"TCP","117.131.85.139",5253**

OK

+CIOPEN: 1,0

**AT+CIOPEN?**// query the current state of all sockets

+CIOPEN: 0

+CIOPEN: 1,"TCP","117.131.85.139",5253,-1

+CIOPEN: 2

+CIOPEN: 3

+CIOPEN: 4

+CIOPEN: 5

+CIOPEN: 6

+CIOPEN: 7

+CIOPEN: 8

+CIOPEN: 9

OK

**AT+CIPCLOSE?**

+CIPCLOSE: 0,1,0,0,0,0,0,0,0

OK

**AT+CIPCLOSE=1**

OK

+CIPCLOSE: 1,0

**AT+CIPCLOSE?**

+CIPCLOSE: 0,0,0,0,0,0,0,0,0

OK

SIMCom Confidential