




Flexible LTE Antenna Specification

(Model: BY-LTE-FPCB -65x13mm)



(I) Product Overview

Frequency (MHz) : 698-960/1710-2700

VSWR \leq 2.5

Gain (dBi) : 1.5/3.5

Max Input power (W) : 50

Input Impedance (Ω) : 50

Polarization: Vertical

Antenna Size (mm) : 65X13X0.2

Cable length (mm) : 20-300

Connector: H.FL/U.FL/IPEX/GSC/MCG etc.

Storage Temperature: -30 $^{\circ}$ C to+75 $^{\circ}$ C

Operating Temperature: -30 $^{\circ}$ C to+75 $^{\circ}$ C

(II) Characteristic curve

JIAXING BEYONDOOR ELECTRONICS CO.,LTD

Address: #101, Weiyi West Road, Dongzha Economic Zone ,Jiaxing 314000,Zhejiang,China

<http://www.beyondoor.com>

Tel:+86-573-82127009


Fax:+86-573-82052070

E-MAIL: sales@beyondoor.com or firstgps@hotmail.com

SKYPE NAME:beyondoorgps



CH1 A/R SWR MKR 1: 2.565 U
REF 1.000 U 1.000 U/ 690 000 000.Hz



JIAXING BEYONDOOR ELECTRONICS CO.,LTD

Address: #101, Weiyi West Road, Dongzha Economic Zone ,Jiaxing 314000,Zhejiang,China


<http://www.beyondoor.com>

Tel:+86-573-82127009

Fax:+86-573-82052070

E-MAIL: sales@beyondoor.com or firstgps@hotmail.com

SKYPE NAME:beyondoorgps



UNIT : mm