







Technical drawing of a 1600mm long profile. The drawing shows a cross-section of the profile with various dimensions and part numbers. The total length is 1600mm. The profile has a central section with a width of 100mm and a height of 100mm. The profile is divided into several sections with different widths and heights. The dimensions are as follows:

- Top section: 1600mm (total length), 100mm (width), 100mm (height)
- Second section: 100mm (width), 100mm (height)
- Third section: 100mm (width), 100mm (height)
- Fourth section: 100mm (width), 100mm (height)
- Fifth section: 100mm (width), 100mm (height)
- Sixth section: 100mm (width), 100mm (height)
- Seventh section: 100mm (width), 100mm (height)
- Eighth section: 100mm (width), 100mm (height)
- Ninth section: 100mm (width), 100mm (height)
- Tenth section: 100mm (width), 100mm (height)
- Eleventh section: 100mm (width), 100mm (height)
- Twelfth section: 100mm (width), 100mm (height)
- Thirteenth section: 100mm (width), 100mm (height)
- Fourteenth section: 100mm (width), 100mm (height)
- Fifteenth section: 100mm (width), 100mm (height)
- Sixteenth section: 100mm (width), 100mm (height)
- Seventeenth section: 100mm (width), 100mm (height)
- Eighteenth section: 100mm (width), 100mm (height)
- Nineteenth section: 100mm (width), 100mm (height)
- Twentieth section: 100mm (width), 100mm (height)
- Twenty-first section: 100mm (width), 100mm (height)
- Twenty-second section: 100mm (width), 100mm (height)
- Twenty-third section: 100mm (width), 100mm (height)
- Twenty-fourth section: 100mm (width), 100mm (height)
- Twenty-fifth section: 100mm (width), 100mm (height)
- Twenty-sixth section: 100mm (width), 100mm (height)
- Twenty-seventh section: 100mm (width), 100mm (height)
- Twenty-eighth section: 100mm (width), 100mm (height)
- Twenty-ninth section: 100mm (width), 100mm (height)
- Thirtieth section: 100mm (width), 100mm (height)
- Thirty-first section: 100mm (width), 100mm (height)
- Thirty-second section: 100mm (width), 100mm (height)
- Thirty-third section: 100mm (width), 100mm (height)
- Thirty-fourth section: 100mm (width), 100mm (height)
- Thirty-fifth section: 100mm (width), 100mm (height)
- Thirty-sixth section: 100mm (width), 100mm (height)
- Thirty-seventh section: 100mm (width), 100mm (height)
- Thirty-eighth section: 100mm (width), 100mm (height)
- Thirty-ninth section: 100mm (width), 100mm (height)
- Fortieth section: 100mm (width), 100mm (height)
- Forty-first section: 100mm (width), 100mm (height)
- Forty-second section: 100mm (width), 100mm (height)
- Forty-third section: 100mm (width), 100mm (height)
- Forty-fourth section: 100mm (width), 100mm (height)
- Forty-fifth section: 100mm (width), 100mm (height)
- Forty-sixth section: 100mm (width), 100mm (height)
- Forty-seventh section: 100mm (width), 100mm (height)
- Forty-eighth section: 100mm (width), 100mm (height)
- Forty-ninth section: 100mm (width), 100mm (height)
- Fiftieth section: 100mm (width), 100mm (height)


Notes:

1. Material
 - 1.1 Housing: LCP, UL 94V-0; Color: Black
 - 1.2 Contact: Copper Alloy
 - 1.3 Metal Key : Stainless steel
 - 1.4 Metal Holder: Stainless steel
2. Finish:
 - 2.1 Contact: Ni plating overall; Gold plating on contact area see P/N; Sn plating on the solder tail.
 - 2.2 Metal Key : Ni plating overall
 - 2.3 Metal holder: Ni plating overall,
Sn plating on the solder tail.
3. Support CEM PCIE 5.0.
4. This part meets the restriction of hazardous substances in electrical and electronic equipment (ROHS) directive (2011/65/EU)
5. P/N: PGZBA4-5X00-005-1H






X.±0.5	X.°±3°	PART NO.: See P/N	LUXSHARETECH			
.X±0.3	.X°±2.5°					
.XX±0.2	.XX°±1.5°	TITLE: GEN Z VT 4C WO SHELL CONNECTOR.增强版	CUSTOMER P/N: N/A			
.XXX±0.1	.XXX°±0.5°					
UNITS:	mm					
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF LUXSHARETECH AND SHALL NOT BE REPRODUCED, COPIED OR CUED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF LUXSHARETECH		APPD: Rongzhe Guo 20220531	DWG NO: PGZBA4-5700-005-1H-01			
		CHKD: HongJi chen 20220531				
		DRAW: Shark Lin 20220531		SCALE	SHEET	REV.
				1:1	1/3	X6

8 CUSTOMER DRAWING




Note: Position A1 on opposite side of card of B1

RECOMMENDED CARD DIMENSIONS



RECOMMENDED PCB LAYOUT

X.± 0.5		X.°±3°		PART NO.: See P/N		LUXSHARETECH					
.X± 0.3		.X°±2.5°									
.XX± 0.2		.XX°±1.5°		TITLE: GEN Z VT 4C WO SHELL CONNECTOR.增强版		CUSTOMER P/N: N/A					
.XXX± 0.1		.XXX°±0.5°									
UNITS:		mm		APPD: Rongzhe Guo 20220531		DWG NO: PGZBA4-5700-005-1H-01					
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF LUXSHARETECH AND SHALL NOT BE REPRODUCED, COPIED OR CUED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF LUXSHARETECH											
						CHKD: Hongji chen 20220531		 <table><tr><td>SCALE</td><td>SHEET</td><td>REV.</td></tr><tr><td>1:1</td><td>2/3</td><td>X6</td></tr></table>			
SCALE	SHEET	REV.									
1:1	2/3	X6									
				DRAW: Shark Lin 20220531							

X.± 0.50	X.°± 3°	PART NO.: See P/N	LUXSHARETECH			
.X± 0.30	.X°± 2.5°					
.XX± 0.20	.XX°±1.5°	TITLE: GEN Z VT 4C WO SHELL CONNECTOR.增强版	CUSTOMER P/N: NA			
.XXX± 0.10	.XXX°± 0.5°					
UNITS:	mm					
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF LUXSHARETECH AND SHALL NOT BE REPRODUCED, COPIED OR CUED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF LUXSHARETECH	APPD:	Rongzhe Guo 20220531	DWG NO: PGZBA4-5700-005-1H-01			
	CHKD:	Hongji Chen 20220531				
	DRAW:	Shark Lin 20220531		SCALE 1:1	SHEET 3/3	REV. X6