




GSM Antenna Specification

(Model: BY-GSM-11)



(I) Product Overview

Frequency (MHz) : 850-1900/900-1800

Bandwidth (MHz) : 90/280

VSWR \leq 1.5

Gain (dBi) : 3.5

Max Input power (W) : 60

Input Impedance (Ω) : 50

Polarization : Vertical

Antenna Length (mm) : 95 \pm 1

Cable Length (m) : 2.5,3 etc.

Cable Type : RG174

Connector : SMA/SMB/SMC/BNC/FAKRA/FME etc.

JIAXING BEYONDOOR ELECTRONICS CO.,LTD ⁺

Address: #101 Weiyi West Road, Dongzha Economic Zone, Jiaxing, Zhejiang, China⁺

Tel: +86-573-82127009

Fax: +86-573-82052070⁺

<http://www.by-antennas.com>

Skype Name: [beyondoorgms](#)⁺

E-mail: sales@beyondoor.com

or

firstgps@hotmail.com⁺




Mounting : Screw(Hole/Roof)

Housing : Black


Storage Temperature : -45°C to+75°C

Operating Temperature : -45°C to+75°C

(II) Characteristic curve



(III) Main Technical Specifications



JIAXING BEYONDOOR ELECTRONICS CO.,LTD

Address: #101 Weiyi West Road, Dongzha Economic Zone, Jiaxing, Zhejiang, China

Tel: +86-573-82127009

<http://www.by-antennas.com>

E-mail: sales@beyondoors.com

Fax: +86-573-82052070

Skype Name: [beyondoorgms](https://www.skype.com/name/beyondoorgms)

firstgps@hotmail.com

or